Author Index

Aldwin, L., Toso, R., Goodson, R. and Hunter, J.
Improvement of production, assay and purification of streptavidin, 239
Alroy, Y., see Lundell, D., 215
Angelo, R., Voepel, K.C. and Buller, C.S.
Isolation and characterization of a new strain of *Celllulomonas flavigena*, 125

Baer, S.H., see Thayer, D.W., 383
Baldi, F., see Parks, E.J., 183
Beck, C.M., see Zamost, B.L., 303
Beeman, R.E. and Suflita, J.M.
Environmental factors influencing methanogenesis in a shallow anoxic aquifier: a field and laboratory study, 45
Bej, A.K., see Perlin, M.H., 355
Berg, G. and Trevors, J.T.
Bacterial conjugation between *Escherichia coli* and *Pseudomonas* spp. donor and recipient cells in soil, 79
Bhaduri, S.
Calcium-responsive expression of plasmid-mediated outer membrane proteins from *Yersinia enterocolitica* on solid media, 207
Bibb, M.J., see Virolle, M.-J., 295
Bloebaum, P., see Lamsa, M., 229
Bordner, J., see Cullen, W.P., 365
Bothast, R.J., see St. Julian, G., 391
Boyd, G., see Thayer, D.W., 383
Brantley, Q.I., see Zamost, B.L., 303
Brinckman, F.E., see Parks, E.J., 183
Buller, C.S., see Angelo, R., 125
Buller, C.S., see Voepel, K.C., 131
Buller, C.S. and Voepel, K.C.
Production and purification of an extracellular polyglucan produced by *Cellulomonas flavigena* strain KU, 139
Butz, R.G., see Krueger, J.P., 147

Chandra, T.S., see Soundar, S., 269
Chapatwala, K.D., Nawaz, M.S., Richardson, J.D. and Wolfram, J.H.
Isolation and characterization of acetonitrile utilizing bacteria, 65
Charles, M., see Eyal, J., 71
Chartrain, M., see Schwartz, R.E., 113
Cialdella, J.I., see Marshall, V.P., 283
Condon, R., see Lundell, D., 215
Cooper, R., Das, P., Federbush, C., Mierzwa, R., Patel, M., Pramanik, B. and Truumees, I.
Characterization of peptidyl-nucleoside antifungal antibiotics from fermentation broth, 1
Cork, D., see maka, A., 337
Cork, D.J., see Krueger, J.P., 147
Cullen, W.P., Bordner, J., Huang, L.H., Moshier, P.M., Oscarson, J.R., Presseau, L.A., Ware, R.S., Whipple, E.B., Kojima, Y., Maeda, H., Nishiyama, S., Tone, J., Tsukuda, K., Holdom, K.S. and Ruddock, J.C.
CP-60,993, a new dianemycin-like ionophore produced by *Streptomyces hygroscopicus* ATCC 39305: fermentation, isolation and characterization, 365

Darland, G., see Greene, J., 313
Das, P., see Cooper, R., 1
Doran, J.L., Leskiw, B.K., Petrich, A.K., Westlake, D.W.S. and Jensen, S.E.
Production of *Streptomyces clavuligerus* isopenicillin N synthase in *Escherichia coli* using two-cistron expression systems, 197

Elm, D.D., see Zamost, B.L., 303
Eyal, J. and Charles, M.
Hydration of cyanopyridine to nicotinamide by whole cell nitrile hydratase, 71

Fabregas, J. and Herrero, C.
Vitamin content of four marine microalgae. Potential use as source of vitamins in nutrition, 259
Federbush, C., see Cooper, R., 1
Flor, J.E., see Schwartz, R.E., 113
Formica, J.V.
Conditions for the production of Agrocin 84 by *Agrobacterium radiobacter* K84, 33
Fossetta, J.D., see Lundell, D., 215
Frederickson, J.K.
Biosolubilization of low-rank coal by a *Trametes versicolor* siderophore-like product and other complexing agents, 401
Fromtling, R.E., see Schwartz, R.E., 113

Gewain, K., see Lundell, D., 215
Glick, B.R., see Wolff, B.R., 59
Goodson, R., see Aldwin, L., 239
Goto, M., see Terasawa, M., 289
Greenberg, R., see Lundell, D., 215
Greene, J., Rosenbach, M. and Darland, G.
Elevated uridine nucleotide pools in fluorouracil/fluorouridine resistant mutants of *Nocardia lactamdurans*, 313
Grulke, E.A., see Michel Jr., F.C., 103
Gunneriusson, L., see Lindström, E.B., 375

Harris, G.H., see Schwartz, R.E., 113
Hatakeyama, K., see Satoh, Y., 159
Hayashi, S., Nokokuchi, M., Imada, K. and Ueno, H.

Production of a fructosyl-transferring enzyme by *Aureobasidium* sp. ATCC 20524, 395
Hayne, W.C., see Thayer, D.W., 383
Herrero, C., see Fabregas, J., 259
Hirsch, C.F., see Schwartz, R.E., 113
Holdom, K.S., see Cullen, W.P., 365
Huang, L.H., see Cullen, W.P., 365
Hunter, J., see Aldwin, L., 239

Imada, K., see Hayashi, S., 395
Imanari, M., see Terasawa, M., 289
Inui, M., see Terasawa, M., 289

Jacob, R.J., see Perlin, M.H., 355
Javaheri, M., see McInerney, M.J., 95
Jensen, S.E., see Doran, J.L., 197
Jewell, W.J., see McFarland, M.J., 247

Kanchanatawee, S. and Maddox, I.S.
Effect of phosphate and ammonium ion concentration on solvent production in defined medium by *Clostridium acetobutylicum*, 277
Kastelein, R., see Lundell, D., 215
Kobayashi, M., see Satoh, Y., 159
Kohama, K., see Satoh, Y., 159
Kojima, Y., see Cullen, W.P., 365
Krueger, J.P., Butz, R.G. and Cork, D.J.
Specificity of a *Flavobacterium* in the metabolism of substituted chlorobenzoates
Krull, L.H., see St. Julian, G., 391
Kurusu, Y., see Satoh, Y., 159

Lamsa, M. and Bloebaum, P.
Mutation and screening to increase chymosin yield in a genetically engineered strain of *Aspergillus awamori*, 229
Lechevalier, M.P., see Tilley, B.C., 167
Lechevalier, M.P., see Tilley, B.C., 329
Lee, H., see MacElwee, C.G., 25
Leskiw, B.K., see Doran, J.L., 197
Lewis, D., see Wolff, B.R., 59
Li, X., Robbins Jr., J.W. and Taylor, K.B.
The production of recombinant beta-galactosidase in *Escherichia coli* in yeast extract enriched medium, 85
Liesch, J.M., see Schwartz, R.E., 113
Lindström, E.B. and Gunneriusson, L.
Thermophilic bioleaching of arsenopyrite using *Sulfolobus* and a semi-continuous laboratory procedure, 375
Linkfield, T.G. and Tiedje, J.M.
Characterization of the requirements and substrates for reductive dehalogenation by strain DCB-1, 9
Lipson, C.A., see Thayer, D.W., 383
Lundell, D., Greenberg, R., Alroy, Y., Condon, R., Fossetta, J.D., Gewain, K., Kastelein, R., Lunn, C.A., Reim, R., Shah, C., Van Kimmenade, A. and Narula, S.K.
Cytoplasmic and periplasmic expression of a highly basic protein. human interleukin 4. in *Escherichia coli*, 215
Lunn, C.A., see Lundell, D., 215

MacElwee, C.G., Lee, H. and Trevors, J.T.
Production of extracellular emulsifying agent by *Pseudomonas aeruginosa* UGI, 25
Maddox, I.S., see Kanchanatawee, S., 277
Maeda, H., see Cullen, W.P., 365
Maka, A. and Cork, D.
Quantum efficiency requirements for an anaerobic photobioreactor, 337
Marshall, V.P., McWethy, S.J., Sirotti, J.M. and Cialdella, J.I.
The effect of neutral resins on the fermentation production of rubradirin, 283
McFarland, M.J. and Jewell, W.J.
The effect of sulfate reduction on the thermophilic (55°C) methane fermentation process, 247
McInerney, M.J., Javaheri, M. and Nagle Jr., D.P.
Properties of the biosurfactant produced by *Bacillus licheniformis* strain JF-2, 95
McWethy, S.J., see Marshall, V.P., 283
Meyertons, J.L., see Tilley, B.C., 167
Meyertons, J.L., see Tilley, B.C., 329
Michel Jr., F.C., Grulke, E.A. and Reddy, C.A.
Development of a stirred tank reactor system for the production of lignin peroxidases (ligninases) by *Phanerochaeta chrysosporium* BKM-1767, 103
Mierzwa, R., see Cooper, R., 1
Morris, V.J., see Virolle, M.-J., 295
Moshier, P.M., see Cullen, W.P., 365
Muller, W.S., see Thayer, D.W., 383

Nagle Jr., D.P., see McInerney, M.J., 95
Narula, S.K., see Lundell, D., 215
Nawaz, M.S., see Chapatwala, K.D., 65
Nielsen, J.B.K.
Coordinately elevated pyrimidine biosynthetic enzymes in fluorouracil resistant mutants of *Nocardia lactamdurans*, 323
Nishiyama, S., see Cullen, W.P., 365
Nokokuchi, M., see Hayashi, S., 395

Oh, J.C.S., see Sim, T.S., 153
Olson, G.J., see Parks, E.J., 183
Oscarson, J.R., see Cullen, W.P., 365

Parks, E.J., Olson, G.J., Brinckman, F.E. and Baldi, F.
Characterization by high performance liquid chromatography (HPLC) of the solubilization of phosphorus in iron ore by a fungus, 183
Pasternak, J.J., see Wolff, B.R., 59
Patel, M., see Cooper, R., 1
Perlin, M.H., Bej, A.K., Will III, O.H. and Jacob, R.J.
Introduction an maintenance of prokaryotic DNA in *Ustilago violacea*, 355
Petrich, A.K., see Doran, J.L., 197
Pramanik, B., see Cooper, R., 1
Presseau, L.A., see Cullen, W.P., 365

Reddy, C.A., see Michel Jr., F.C., 103
Reim, R., see Lundell, D., 215
Richardson, J.D., see Chapatwala, K.D., 65
Robbins Jr., J.W., see Li, X., 85
Rosenbach, M., see Greene, J., 313
Ruddock, J.C., see Cullen, W.P., 365

Salvatore, M.J., see Schwartz, R.E., 113
Satoh, Y., Hatakeyama, K., Kohama, K., Kobayashi, M., Kurusu, Y. and Yukawa, H.
Electrotransformation of intact cells of *Brevibacterium flavum* MJ-233, 159
Schwartz, R.E., Hirsch, C.F., Sesin, D.F., Flor, J.E., Chartrain, M., Fromtling, R.E., Harris, G.H., Salvatore, M.J., Liesch, J.M. and Yudin, K.
Pharmaceuticals from cultured algae, 113
Seelenfreund, D. and Vicuna, R.
Effect of *Streptomyces viridosporus* T7A on kraft lignin, 17
Sesin, D.F., see Schwartz, R.E., 113
Shah, C., see Lundell, D., 215
Shikata, K., see Terasawa, M., 289
Sim, T.S. and Oh, J.C.S.
Spent brewery grains as substrate for the production of cellulases by *Trichoderma reesei* WM9414, 153
Sirotti, J.M., see Marshall, V.P., 283
Soundar, S. and Chandra, T.S.
Anaerobic digestion of cellulose by pure and mixed bacterial cultures, 269
St. Julian, G., Bothast, R.J. and Krull, L.H.
Glycerol accumulation while recycling thin stillage in corn fermentations to ethanol, 391
Suflita, J.M., see Beeman, R.E., 45

Taylor, K.B., see Li, X., 85
Terasawa, M., Inui, M., Goto, M., Shikata, K., Imanari, M. and Yukawa, H.
Living cell reaction process for L-isoleucine and L-valine production, 289
Thayer, D.W., Boyd, G., Muller, W.S., Lipson, C.A., Hayne, W.C. and Baer, S.H.
Radiation resistance of *Salmonella*, 383
Tiedje, J.M., see Linkfield, T.G., 9
Tilley, B.C., Meyertons, J.L. and Lechevalier, M.P.
Characterization of a temperate actinophage, MPphiWR-1, capable of infecting *Micromonospora purpurea* ATCC 15835, 167
Tilley, B.C., Meyertons, J.L. and Lechevalier, M.P.
MPphiWR-2, a cryptic phage associated with *Micromonospora purpurea* ATCC 15835, 329
Tone, J., see Cullen, W.P., 365
Toso, R., see Aldwin, L. 239
Trevors, J.T., see Berg, G., 79
Trevors, J.T., see MacElwee, C.G., 25
Truumees, I., see Cooper, R., 1
Tsukuda, K., see Cullen, W.P., 365

Ueno, H., see Hayashi, S., 395

Van Kimmenade, A., see Lundell, D., 215
Vicuna, R., see Seelenfreund, D., 17
Virolle, M.-J., Morris, V.J. and Bibb, M.J.
A simple and reliable turbidimetric and kinetic assay for alpha-amylase that is readily applied to culture supernatants and cell extracts, 295
Voepel, K.C. and Buller, C.S.
Formation of an extracellular energy reserve by *Cellulomonas flavigena* strain KU, 131
Voepel, K.C., see Angelo, R., 125
Voepel, K.C., see Buller, C.S., 139

Ware, R.S., see Cullen, W.P., 365
Westlake, D.W.S., see Doran, J.L., 197
Whipple, E.B., see Cullen, W.P., 365
Will III, O.H., see Perlin, M.H., 355
Wolff, B.R., Lewis, D., Pasternak, J.J. and Glick, B.R.
Partial characterization of *Pseudomonas fluorescens* ssp. *cellulosa* endoglucanase activity produced in *Escherichia coli*, 59
Wolfram, J.H., see Chapatwala, K.D., 65

Yudin, K., see Schwartz, R.E., 113
Yukawa, H., see Satoh, Y., 159
Yukawa, H., see Terasawa, M., 289

Zamost, B.L., Brantley, Q.I., Elm, D.D. and Beck, C.M.
Production and characterization of a thermostable protease produced by an asporogenous mutant of *Bacillus stearothermophilus*, 303

Subject Index

Acetonitrile utilizing bacteria, 65
Acetosyringone, 33
Acid protease, 229
Actinomycete, 329
Actinophage, 329
Aggregation, 131
Alpha-amylase assay, 295
Amidase activity, 71
Anaerobic biodegradation, 9
Anaerobic metabolism, 45
Anaerobic production, 95
Anticoccidial agent, 365
Arsenopyrite, 375
Aspergillus awamori, 229
Assay, 239
Atmosphere, 383

Bacteria, 25, 79
Bacteriophage, 167
Batch fermentation, 277
Beta-galactosidase, 85
Beta-lactam antibiotic biosynthesis, 197
Biodegradation, 17
Bioemulsifiers, 95
Bioglycerine, 391
Biosolubilization, 401
Biotin, 33
Brevibacterium flavum, 289
Brevibacterium R-312, 71

Capsule, 131
Cellulase, 59, 153, 269
Cellulolytic anaerobe, 269
Cellulolytic *Clostridium*, 269
Cellulomonas flavigena, 125
Cellulose enrichments, 269
Cellulose fermentation, 269
Cellulose, 59
Chelation, 401
Chicken, 383
Chloroaromatic chemicals, 9
Chlorobium, 337
Chromobacterium, 65
Chymosin, 229
COD, 247
Cohesive ends, 167
Competitive inhibition, 247
Corn stillage, 391
Coryneform bacteria, 159
CO-60,993, 19-epi-dianemycin, 365
Cyanobacteria, 113

D-values, 383
Deletion, 167
Diazoacetyl-norleucine methyl ester, 229
Dicamba, 147
3,5-Dichlorsalicylate, 147
Disaggregation, 131

Escherichia coli, 215
Efrotomycin, 313, 323
Electroporation, 159
Emulsifier, 25
Endoglucanase, 59
Enzyme characterization, 303
Enzyme production, 71
Ethanol fermentation, 391
Ethyl methanesulfonate, 303
Eukaryotic microalgae, 113
Exopolysaccharide, 139
Expression, 215

FAB-mass spectroscopy, 1
Fermentation production, 283
Fermentation, 85
Filamentous fungi, 103
Flavobacterium, 147
Fluorouracil resistance, 323
Fluorouracil, 313
Fructooligosaccharide, 395
Fructose, 33
Fungal pellets, 103
Fungal transformation, 355

Gene transfer, 79
Gentamicin, 167, 329
Glycerol, 391
Gold recovery, 375
Grain alcohol, 391
Ground water, 45
Growth, 153

Heterologous gene expression, 197
Heterologous protein, 229
Hydrogel, 139

IL-4, 215
Improved process, 239
Industrial microorganism, 395
Integration, 167
Intracellular inclusion, 125
Iron ore improvement, 183
Isokestose, 395

L-Isoleucine production, 289
Isomeric purification, 147
Isopentenyl adenosine, 33

Kinetic determination, 295
Kraft lignin, 17

Leonardite, 401
Light intensity, 337
Ligninase production, 103
Lignocellulose, 269
Liquid chromatography, 183
Living cell reaction process, 289

Macroalgae, 113
Mannitol, 33
Marine microalgae, 259
Media improvement, 239
Metalloprotease, 303
Methane production, 45
Methanogenesis, 247
Microbially enhanced oil recovery, 95
Microculture, 229
Morphology, 125
Mutagenesis, 303

Natural products, 113
Neutral resins, 283
Nitrile hydratase activity, 71
Nocardia lactamdurans, 313, 323
Nutritional requirements, 259

Octopine, 33
Oil, 25
Organic acids, 183
Outer membrane proteins, 207

Peptidyl-nucleosides, 1
pH, 45
Pharmaceuticals, 113
Phosphorus dissolution, 183
Photobioreactor, 337
Photodiode array, 1
Photosynthesis, 337
Plasmid constructions, 215
Plasmid, 79, 207, 355
Polyether ionophore, 365
Polyglucan, 131
Production, 153, 239
Pseudomonas aeruginosa, 25, 65
Pseudomonas, 59
Purification, 139
Pyrimidine biosynthesis, 323

Quantum efficiency, 337

Radiation, 383
Reaction condition, 395
Recombinant *E. coli*, 85
Reutilisation, 153
Rubradirin, 283

Salmonella, 383
Screening, 113
Secretion, 215
Semi-continuous bioleaching, 375
Semi-continuous pumping, 375
Shuttle vector, 159
Siderophore, 401
Sinefungin, 1
Soil, 79
Solventogenesis, 277
Spent brewery grains, 153
Streptomyces avidinii streptavidin, 239
Streptomyces viridosporus T7A, 17
Submerged culture, 103
Sucrose-hydrolyzing enzyme, 395
Sulfate reducers, 9
Sulfate reduction, 247
Sulfate, 45
Sulfide inhibition, 247
Sulfolobus, 375
Survival, 79

Temperature, 45, 383
Thermolysin, 303
Thermophilic bacteria, 375
Trametes versicolor, 401
Transfection, 167
Trichoderma reesei QM9414, 153
Trihydric alcohol, 391
Turbidity, 295

UMP, 313
Ustilago violacea, 355
L-Valine production, 289
Vitamin B_{12}, 33
Vitamin supplements, 259
Vitamins, 259

White-rot fungus, 103

Yersinia enterocolitica, 207